TREO®

ABDOMINAL STENT-GRAFT SYSTEM

Versatile by Design. Fit for any Anatomy.*

*Per IFU.



For more information, visit
terumoaortic.com/features-benefits

TERUMO AORTIC

The Next Evolution of EVAR Durability is Here

Highly flexible design for challenging, angulated anatomy

- Z-Stent Configuration
- Space between stents



73%
Hostile Neck Anatomy [1]
27/37

8.1%
Rate of complications requiring reintervention at mean follow up 5.5 years [1]
3/37

"The TREO endografts have innovative structural characteristics aimed to adapt at best to short and angulated necks" [1]



100%
Technical Success [1]
37/37

100%
Sac Regression / Stable [1]
31/31 at 5.5 years

1. Marone EM *et al.* (2023). Five-Year Outcomes of Endovascular Aortic Repair With the TREO Abdominal Endograft. *Journal of Endovascular Therapy.* 0(0). doi:10.1177/15266028231170161
2. Images courtesy of Tamer Boules, MD Henry Ford Health
3. Dansey K *et al.* (2019). Endovascular Aneurysm Repair Has Surpassed Open Repair as the Primary Treatment Modality for Ruptured Abdominal Aortic Aneurysm in the United States. *Journal of Vascular Surgery.* 69(6):e127

Adjustable Leg Landing Zones Expand Planning & Treatment Flexibility

Particularly in Emergent EVAR Cases

~17% of annual EVAR procedures are emergent [3, 4]

Adjustable zones allow you to maximise the iliac fixation length - a significant predictor of endograft migration [5]

Tailor Treatment to Each Patients' Anatomy



Longer Iliac **Fixation** Length Mitigates Migration



"The use of the TREO stent graft also allows for in situ limb length flexibility. Both ipsilateral and contralateral gates have 1 to 3 cm of docking overlap, allowing for treatment of a more continuous range of patient anatomies and accurate targeting of the distal landing zone." [6]

0.67%
Migration through 5Y [7]
(1/150)

4. Global data-Cardiovascular devices abdominal aortic stents graft volume US. 2015
5. E.J. Waasdorp *et al.* (2009). The association between iliac fixation and proximal stent-graft migration during EVAR follow-up: Mid-term results of 154 Talent devices. *Eur J Vasc Endovasc Surg*. 37, 681e687
6. Eagleton, M.J *et al.* (2021). Safety and effectiveness of the TREO stent graft for the endovascular treatment of abdominal aortic aneurysms. *Journal of Vascular Surgery.* 74(1), pp.114-123.
7. Eagleton, M.J *et al.* (2023). US IDE Preliminary 5Y Data, VEITH.

ROW

Discover solutions for every segment of the aorta
terumoaortic.com

LinkedIn VuMedi X

TERUMO AORTIC

PM-07981

View IFU at eifu.terumoaortic.com for more information on use, indications, contraindications and warnings/precautions.

Product availability subject to local regulatory approval. For distributor information, visit terumoaortic.com/contact

Bolton Medical Inc.
799 International Parkway,
Sunrise, FL 33325, United States