AQUABRID® Surgical Sealant

Strong and elastic, ideal for wet conditions.

For more information, visit
terumoaortic.com/features-benefits

TERUMO AORTIC

Developed for Wet Conditions

AQUABRID® is a fully synthetic surgical sealant for aortic surgical procedures

In contact with water AQAUBRID® forms an elastic layer within 3 to 5 minutes - making it optimal for use in wet conditions . [1,2] AQUABRID® stretches and shrinks with contraction of the vessel, while maintaining a strong seal in the aorta. [1,2]

AQUABRID® has been commercially available in Japan since 2014 under the name of HYDROFIT®

DURABILITY & RELIABILITY

Strong [1,2]

Maintains bond/seal in the high-pressure environment of the aorta.

- AQUABRID® acts as a sealant not a glue.

SAFETY & EFFICACY

100% Synthetic [2,3]

No biological origin reduces risk of infection.

- AQUABRID® effectively controls aortic bleeding.[4]

ADAPTABILITY & VERSATILITY

Reacts with water [1,2]

Optimal use for wet surfaces, regardless of heparinisation conditions.

- Can be used for aortic surgical procedures.[3]

AQUABRID®
Discover more...

*"The sealant is effective in achieving hemostasis, even under **fully heparinised** conditions."* [4]



AQUABRID® before reacting



AQUABRID® after full reaction with water

1. Eto M et al. Elastomeric surgical sealant for hemostasis of cardiovascular anastomosis under full heparinization. Europ. J. Cardio Surg. 2007; 730-734.
2. Oda S. et al. Experimental use of an elastomeric surgical sealant for arterial hemostasis and its long-term tissue response. Interac. Cardiov. and Thor. Surgery. 2010; 258-261.
3. Instructions for Use
4. Morita S. et.al. Randomized clinical trial of an elastomeric sealant for hemostasis in thoracic aortic surgery. General Thor. and Cardio. Surgery. 2020; 68:112–121.

Ideal to Support Aortic Anastomosis

FLEXIBILITY

Elastic[1,2]

Flexible Polymer.

- Stretches and shrinks with vessel contraction.
- Strong seal during the pulsatile stress-loads of the Aorta.[1,2]

*"The **elastomeric** nature of completely cured or hardened sealant provides much closer **compliance with native arteries** than cyanoacrylate glue that becomes plastic as cured."*[2]

PRECISION

Direct or Transfer Appplication[2,3]

Minimal volume used in a thin layer.

- The silicon sheet and spatula facilitate pressurized sealing in challenging anastomoses.



DESIGN

Ready to Use[1,2]

Convenient preloaded syringe.

- Stored at room temperature.*[3]
- No manual mixing or preparation required.
- No requirement for multiple applicator tips.

* IFU Storage recommended between 1°C to 30°C

ROW

Discover solutions for every segment of the aorta
terumoaortic.com

LinkedIn VuMedi X

TERUMO AORTIC

Visit our website for more information on use, indications, contraindications, warnings/precautions and availability within your market.

Designed & Manufactured by: Sanyo Chemical Industries, LTD. 11-1, Ikkyo Nomoto-cho, Higashiyama-ku, Kyoto 605-0995, Japan

Distributed by: Vascutek Ltd, Newmains Avenue, Inchinnan, Renfrewshire PA4 9RR, United Kingdom

Product availability subject to local regulatory approval.

PM-09027